

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/723,291	11/26/2003	James R. Rosseau	GP-303187	5563
7590 11/01/2005			EXAMINER	
CHRISTOPHI			NGUYEN	, THU V
General Motors Corporation Legal Staff, Mail Code 482-C23-B21			ART UNIT	PAPER NUMBER
P.O. Box 300 Detroit MI 48265-3000			3661	

DATE MAILED: 11/01/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

UNITED STATES PATENT AND TRADEMARK OFFICE



Commissioner for Patents United States Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450 www.uspto.gov

MAILED

NOV 0 1 2005

GROUP 3600

BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

Application Number: 10/723,291 Filing Date: November 26, 2003 Appellant(s): ROSSEAU, JAMES R.

Christopher DeVries
For Appellant

EXAMINER'S ANSWER

This is in response to the appeal brief filed August 15, 2005 appealing from the Office action mailed December 28, 2004.

Art Unit: 3661

(1) Real Party in Interest

A statement identifying by name the real party in interest is contained in the brief.

(2) Related Appeals and Interferences

The examiner is not aware of any related appeals, interferences, or judicial proceedings which will directly affect or be directly affected by or have a bearing on the Board's decision in the pending appeal.

(3) Status of Claims

The statement of the status of claims contained in the brief is correct.

(4) Status of Amendments After Final

The appellant's statement of the status of amendments after final rejection contained in the brief is correct.

(5) Summary of Claimed Subject Matter

The summary of claimed subject matter contained in the brief is correct.

(6) Grounds of Rejection to be Reviewed on Appeal

The appellant's statement of the grounds of rejection to be reviewed on appeal is correct.

(7) Claims Appendix

The copy of the appealed claims contained in the Appendix to the brief is correct.

(8) Evidence Relied Upon

5,591,906	Okawa et al	1-1997	
5,569,848	Sharp	10-1996	

Art Unit: 3661

6,237,234 Jackson et al

5-2001

Page 3

(9) Grounds of Rejection

The following ground(s) of rejection are applicable to the appealed claims:

Claims 1-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Okawa et al (US 5,591,906) in view of Sharp (US 5,569,848) and Jackson et al (US 6,237,234).

As per claim 1-3, Okawa teaches a system of determining tire pressure faults in a vehicle, the system comprises: determining the number of tire revolution of a first and second tire (col.4, lines 10-11); comparing the number of revolutions of the first and second tire using the ratio between the tires to determine if pressure fault has occurred (col.4, lines 10-26). Okawa does not suggest using distance value for the comparison. However, Okawa teaches using rotational angular velocity value (col.4, lines 10-11), further since Sharp teaches that it is well known to determine distance from the rotation angular speed using an odometer, and there is a close relation between the rotation angular speed and distance (col.4, lines 18-61), and Jackson teaches specific relationship between distance travel and the angular speed (col.4, lines 55-59), it would have been obvious to a person of ordinary skill in the art at the time the invention was made to use the distance determined from the wheel rotational speed taught by Sharp and Jackson to determine the tire pressure abnormality of Okawa in order to use the same output distance determined from the odometer to check for the pressure fault of the wheels, since utilizing the distance determined from the number of pulses output from a sensor in a fixed

Art Unit: 3661

amount of time, or utilizing the number of pulses outputted from the speed sensor as preferred by

the designer requires only routine skill in the art.

As per claim 4-6, refer to claims 1-3 above.

As per claim 7, Okawa teaches coupling the sensors to an ABS system (col.3, lines 63-

67).

As per claim 8, Okawa teaches determining tire pressure fault by analyzing a ratio of

wheel speed traveled by at least two wheels (col.17, lines 16-22). Concerning using distances

instead of wheel speed, refer to claim 1 above.

As per claim 9-10, Okawa teaches a conventional method of detecting tire pressure by

direct measurement of the pressure of the tire using pressure sensor (col.1, lines 22-28), when the

method for direct measuring the pressure of the tire is used, the speed, and the time are just

independent factors from determining a tire pressure.

(10) Response to Argument

<u>Issue 1</u>: In page 6, last paragraph, the appellant asserts that:

Page 4

- (1) the cited references of Okawa, Sharp and Jackson are all silent with respect to using the distance a tire has travel to determine pressure fault; and
- the fundamental difference between distance and speed is the additional factor of time, and due to the nature of the speed calculation they are prone to noisy data and microprocessor timing limitations, and
- (3) the present application is based on the distance and is not dependent on time,
- (4) then the appellant concludes that the examiner is practicing hindsight reconstruction.

The following is the examiner answer:

Response 1:

(1) Although the cited references does not explicitly disclose using the distance a tire have travel to determine pressure fault, although Okawa teaches using the wheel speed to determine the pressure fault (col.4, lines 10-26; col.11, lines 30-44), in col.3, lines 21-25, Okawa teaches the relationship between the pressure of the tire and the distance travel.

Sharp, in the same context, clearly teaches that the pressure fault tire travels smaller distance than the properly inflated tire (Sharp reference in col.4, lines 4-22), and Jackson also teaches a formula stating the relationship between the distance travel and the radius of the tire (col.4,

Art Unit: 3661

lines 30-32, and lines 53-66), an ordinary person skilled in the art at the time the invention was made would be able to use the distance travel of a tire to determine pressure status of the tire as disclosed by Sharp in col.4, lines 4-22, the distance a tire travels can be determined by using the time factor as admitted by the appellant as being well known, and applying the relationship between the distance travel and the radius of one revolution taught by Jackson to determine the distance travel of the tire in one revolution as taught by Jackson, and by using the result taught by Jackson col.4, lines 30-32, lines 56-66 in combination with the number of revolution of the tire per unit of time (the speed of the tire) taught by Okawa in determining the distance a tire has travel. Therefore the formula for determine pressure fault taught by Okawa in col.4, line 15 using the speed variable can be easily replaced with the distance variable using the teaching and motivation from both Sharp and Jackson as explained above. In response to the appellant assertion that the difference between distance

(2) In response to the appellant assertion that the difference between distance and speed is the additional factor of time, and due to the nature of these speed calculations they are prone to noisy data and the microprocessor timing limitations. It is noted that the very broad independent claims do not disclose how the present application obtain the distance data to avoid using the time factor and to eliminate noise data and to overcome the microprocessor limitation. It appears that the present application uses

Art Unit: 3661

digital pulse devices and count the number of pulses which represent distance of travel of the tire in a small unit amount of time to determine the distance (last paragraph of page 3 of the appeal brief). When the number of pulses are obtained, it is necessary to use the time factor to determine the distance in that time duration, the independent claims do not disclose how the distance is obtained without using the time factor. It is also notice that Okawa also uses the digital pulse devices to count the number of pulses which represents the distance of travel of the tire in a small unit of time (Okawa col.4, lines 52-56).

- is not dependent on time, however <u>the very broadly claimed independent</u> <u>claims do not explicitly teach excluding the time factor and do not teach</u> <u>how the distance is obtained without using the time factor.</u>
- (4) For the reason explained in section (1) and (2) above, the reconstruction asserted by the examiner is well within the common knowledge of a person skilled in the arts in view of Okawa, Sharp and Jackson's teachings. It must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a

Art Unit: 3661

reconstruction is proper. See *In re McLaughlin*, 443 F.2d 1392, 170 USPQ 209 (CCPA 1971).

- Issue 2: the appellant asserts that Okawa and Sharp teach away from the present application because they disclose a speed based and not distance based tire pressure fault system. The following is the examiner's answer:
- Response 2: Okawa does not teach away from the present application as asserted. At least Okawa teaches the relationship between the rolling radius and the distance travel and teaches using the rolling radius in detecting pressure fault (col.3, lines 21-25, lines 50-53) and Jackson also teaches the relationship between the rolling radius and the distance travel (col.4, lines 30-32, and lines 55-66), when the rolling radius is known, the distance travel can be determined and vice versa, and Sharp clearly teaches that the distance traveled of the tire with pressure fault is less than the distance traveled of the tire with proper pressure (Sharp col.4, lines 7-15, and lines 19-24), therefore in view of Sharp teaching the pressure fault of a tire can be detected using the distance data. Therefore at least Sharp does not teach away the present application as asserted.
- Issue 3: the appellant requests a form of affidavit that the examiner relies on personal knowledge that the apparatus of the present application is obvious. The following is the examiner's response:

Application/Control Number: 10/723,291 Page 9

Art Unit: 3661

<u>Response 3</u>: the examiner does not believe such the affidavit is necessary because the

combined references taught is Okawa, Jackson, and especially Sharp in col.4,

lines 7-23 clearly suggests that the distance traveled of a tire can be used in

determining the pressure fault of a tire.

<u>Issue 4</u>: concerning the limitations on claims 1, 4, 6, 9-10, the following is the

examiner's comment:

Response 4: refer to the response in issue 1 and 2 above. Although claim 9-10 negate the

use of speed and the time, the broad claims 6 and 9 or 10 do not disclose how

the present application determine the distance without using the speed and

the time factor. Refer to discussion in the response 1 above.

(11) Related Proceeding(s) Appendix

No decision rendered by a court or the Board is identified by the examiner in the Related

Appeals and Interferences section of this examiner's answer.

For the above reasons, it is believed that the rejections should be sustained.

Respectfully submitted,

October 25, 2005

PRIMARY EXAMINER

Conferees:

Thomas Black

Louis Jacques Jacques